

Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application:

Listing of Claims:

1. (CURRENTLY AMENDED) Land vehicle weapon system comprising:
 - a base mount coupled with a land vehicle;
 - a weapon mount;
 - a plurality of weapons coupled with said weapon mount;
 - a weapon moving mechanism coupled between said base mount and said weapon mount, said weapon moving mechanism being operable to move said weapons to a combined configuration, between a transportation configuration and a static firing configuration;
 - a plurality of moving elements coupled with at least one of said base mount, said weapon mount, said weapons, and with said weapon moving mechanism;
 - a sensing mechanism coupled with at least one of said weapon mount, said weapons and said base mount; and
 - at least one user interface coupled with said weapons, said weapon moving mechanism, said moving elements, and with said sensing mechanism, said at least one user interface enabling a user to remotely operate said weapons,
 - wherein said weapon moving mechanism is in form of comprises a four bar linkage having a first link, a second link, a third link and a fourth link, wherein the fourth whose first link is fixed and is the same as said base mount, a second the first link of said four bar linkage being rotatably coupled with said first fourth link, a-

~~third the second link of said four bar linkage being rotatably coupled with said second first link and with a fourth the third link of said four bar linkage, said fourth link being rotatably coupled with said first link, at least one of said second third link and said fourth link being slidably coupled with said first fourth link, allowing said third link to slide along said fourth link, said weapon mount being rotatably coupled with at least one of said third a joint between said first link and said fourth second link, said weapon moving mechanism being in said transportation configuration, when said first link, said second link, and said third link, and said fourth link are substantially aligned along a substantially horizontal flat plane, said weapon moving mechanism being in said static firing configuration, when said four bar linkage is in forms a substantially triangular geometric form, said weapon moving mechanism being in said combined configuration when said third link slides along said fourth link and said four bar linkage forms a substantially quadrilateral geometric shape.~~

2. (ORIGINAL) The system according to claim 1, wherein said weapon moving mechanism moves said weapons to a combined configuration, between a transportation configuration and a static firing configuration.
3. (CURRENTLY AMENDED) The system according to claim 1, wherein said weapons are selected from the list consisting of:
 - ~~canon cannon;~~
 - ~~mortar;~~
 - ~~machine gun;~~
 - ~~sub-machine gun;~~
 - ~~coaxial machine gun;~~

rifle;
missile launcher; and
automatic grenade launcher.

4. (ORIGINAL) The system according to claim 1, further comprising a chemical compound dispenser coupled with said weapon mount.

5. (ORIGINAL) The system according to claim 4, wherein said chemical compound dispenser dispenses a chemical compound selected from the list consisting of:
smoke;
gas;
foam; and
liquid.

6. (ORIGINAL) The system according to claim 1, wherein each of said moving elements is selected from the list consisting of:
electric actuator;
mechanical actuator;
hydraulic actuator; and
pneumatic actuator.

7. (ORIGINAL) The system according to claim 1, wherein said sensing mechanism comprises at least one sensor.

8. (ORIGINAL) The system according to claim 7, wherein said at least one sensor is selected from the list consisting of:
 - laser sensor;
 - sonic sensor;
 - radar; and
 - mechanical sensor.
9. (ORIGINAL) The system according to claim 1, wherein said sensing mechanism comprises an imaging system.
10. (ORIGINAL) The system according to claim 9, wherein said imaging system is selected from the list consisting of:
 - charge-coupled device; and
 - video camera.
11. (ORIGINAL) The system according to claim 10, wherein said video camera operates in a visible range of wavelengths.
12. (ORIGINAL) The system according to claim 10, wherein said video camera operates in a non-visible range of wavelengths.
13. (ORIGINAL) The system according to claim 1, wherein the type of said at least one user interface is selected from the list consisting of:
 - tactile;
 - visual;

audio; and

haptic.

14. (ORIGINAL) The system according to claim 1, wherein said at least one user interface is located within said land vehicle.
15. (ORIGINAL) The system according to claim 1, further comprising a target tracking system coupled with said weapon mount.
16. (ORIGINAL) The system according to claim 1, further comprising a laser designator coupled with said weapon mount.
17. (ORIGINAL) The system according to claim 1, wherein at least one of said moving elements rotates said base mount about a vertical axis substantially perpendicular to a longitudinal axis of said land vehicle.
18. (ORIGINAL) The system according to claim 1, wherein at least one of said moving elements changes the elevation of said weapons.
19. (ORIGINAL) The system according to claim 1, wherein said weapon moving mechanism changes the height of said weapons above a roof of said land vehicle.
20. (ORIGINAL) The system according to claim 1, further comprising a stabilization system coupled with at least one of said weapons, said stabilization system

stabilizing the orientation of said at least one weapon, according to the position of a target, and according to the movement of said land vehicle.

21. (ORIGINAL) The system according to claim 1, further comprising at least one ammunition cartridge coupled with a respective one of said weapons.
22. (ORIGINAL) The system according to claim 1, further comprising at least one communication interface coupled with said weapons, said moving elements, said weapon moving mechanism, said sensing mechanism, and said user interface.
23. (ORIGINAL) The system according to claim 22, wherein the coupling of said at least one communication interface with said weapons, said moving elements, said weapon moving mechanism, said sensing mechanism, and said user interface, is selected from the list consisting of:
 - conductive; and
 - wireless.
24. (ORIGINAL) The system according to claim 1, wherein said land vehicle is selected from the list consisting of:
 - wheel driven;
 - track driven; and
 - a combination of the above.
25. (ORIGINAL) The system according to claim 1, wherein said land vehicle is an unmanned land vehicle.

26. (ORIGINAL) The system according to claim 1, wherein said weapon moving mechanism moves said weapons between a static firing configuration and a transportation configuration, said static firing configuration having a static firing height with respect to said base mount, said transportation configuration having a transportation height with respect to said base mount, said static firing height being greater than said transportation height,

wherein the elevation in said static firing configuration is characterized by a first range of angles and the elevation in said transportation configuration is characterized by a second range of angles, and

wherein said first range of angles is greater than said second range of angles.

27. (CANCELLED)

28. (ORIGINAL) The system according to claim 1, wherein said base mount is coupled to an outer surface of said land vehicle, without physically penetrating the hull of said land vehicle.